ANALYTICA CHIMICA ACTA, VOL. 211 (1988)

AUTHOR INDEX

Ache, H.J., see Torres Llosa, J.M. 317

Aneva, Z.
Direct flame atomic absorption spectrometric determination of bismuth, cadmium, cobalt, silver, palladium and zinc in pure platinum with pulse aspiration 311

Asano, Y., see Wada, H. 213

Berg, C.M.G., van den, see van den Berg, C.M.G. 129

Blais, J., see Cepeda-Saez, A. 333

Bontempelli, G., see Daniele, S. 325

Bos, M.
—, Hoogendam, E. and van der Linden, W.E.
A knowledge-based system for the automatic chronopotentiometric elucidation of electrode reaction mechanisms 61

Bouzid, B.
— and Macdonald, A.M.G.
Flow-injection methods for the determination of uracil derivatives with voltammetric detection 175

Bouzid, B.
— and Macdonald, A.M.G.
Polarographic study of uracil derivatives 155

Buøen, S., see Wickstrøm, T. 223

Burns, D.T.
— and Chimpalee, D.
Spectrophotometric determination of bismuth after extraction of 1-naphthylmethyltriphenylphosphonium tetraiodobismuthate(III) 305

Cañete, F.
—, Ríos, A., Luque de Castro, M.D. and Valcárcel, M.
Flow-injection cyclic voltammetry 287

Cepeda-Saez, A.
—, Prognon, P., Mahuzier, G. and Blais, J.
Improvement in the fluorimetric detection of 5-methoxypsoralen by using β-cyclodextrin in the mobile phase and a cross-linked β-cyclodextrin column 333

Chimpalee, D., see Burns, D.T. 305

Cornelis, R., see Xilei, L. 231

Dale, J., see Wickstrøm, T. 223

Dams, R., see Vandecasteele, C. 91

Daniele, S.
—, Ugo, P., Mazzocchin G.-A. and Bontempelli, G.
Simultaneous determination of concentration, diffusion coefficient and number of electrons for electroactive species by combining suitable electroanalytical measurements 325

Den Boef, G., see van der Linden, W.E. 99

Duffy, P.
—, Mealet, C., Wallach, J.M. and Fombon, J.J.
A conductometric device for monitoring of enzyme-catalyzed reactions 205

Enke, C.G., see Schubert, A.J. 83

Fombon, J.J., see Duffy, P. 205

Goldschmidt, H.M.J.
—, Oude Elferink, R.F.M., Leijten, J.F. and Vuysters, F.A.M.
The validity of clinical data calculated by means of process control characteristics 43

Gregor, J.E.
— and Powell, H.K.J.
Application of sampled-d.c. anodic stripping voltammetry to metal/fulvic acid equilibria 141

Haapakka, K.
—, Kankare, J. and Kulmala, S.
Specific determination of trace copper(II) by cathodic electro-luminescence 105

Hirashima, A., see Motomizu, S. 119

Hoogendam, E., see Bos, M. 61

Ito, S., see Wada, H. 213

Jacinto, G.S., see van den Berg, C.M.G. 129

Kamson, O.F.
Flow-injection determination of some sulphur anions via the catalyzed iodine–azide reaction 299
Kankare, J., see Haapakka, K. 105
Kiss, E.
Ion-exchange separation and spectrophotometric determination of boron in geological materials 243
Kulmala, S., see Haapakka, K. 105
Lai, R.-L., see Pai, S.-C. 257
Lavagnini, I.
— and Magno, F.
Digital simulation of cyclic voltammetric experiments for non-first-order electrode reactions 75
Leijten, J.F., see Goldschmidt, H.M.J. 43
Lindberg, W., see Lukkari, I. 1
Linden, W.E., van der, see van der Linden, W.E. 61, 99
Lukkari, I.
— and Lindberg, W.
Multicomponent determinations in flow systems by partial least squares modeling 1
Lund, W., see Wickstrøm, T. 223
Luque de Castro, M.D., see Cañete, F. 287
Luque de Castro, M.D., see Ruz, J. 281

Macdonald, A.M.G., see Bouzid, B. 155, 175
Magno, F., see Lavagnini, I. 75
Mahuzier, G., see Cepeda-Saez, A. 333
Mascini, M., see Moscone, D. 195
Mazzocchin, G.-A., see Daniele, S. 325
Mealet, C., see Duffy, P. 205
Mees, L., see Xilei, L. 231
Meites, L.
Optimizing data-acquisition schedules in physicochemical experiments. Part. 2. Refinement of the method and principles of "burst" ("clustered-point") experimentation 31
Mizuike, A., see Nomizu, T. 293
Moscone, D.
— and Mascini, M.
Determination of superoxide dismutase activity with an electrochemical oxygen probe 195
Motomizu, S.
—, Oshima, M. and Hirashima, A.
Spectrophotometric determination of phosphorus in river water based on the reaction of vanadomolybdophosphate with malachite green 119

Nagels, M., see Vandecasteele, C. 91
Nakagawa, G., see Wada, H. 213
Nomizu, T.
—, Sanji, M. and Mizuike, A.
Removal of iron for the spectrophotometric determination of humic substances in fresh waters 293

Oshima, M., see Motomizu, S. 119
Oude Elferink, R.F.M., see Goldschmidt, H.M.J. 43
Ozawa, T., see Wada, H. 213
Ozinga, W., see van der Linden, W.E. 99

Pai, S.-C.
—, Whung, P.-Y. and Lai, R.-L.
Pre-concentration efficiency of Chelex-100 resin for heavy metals in seawater. Part 1. Effects of pH and salts on the distribution ratios of heavy metals 257
Pai, S.-C.
Pre-concentration efficiency of Chelex-100 resin for heavy metals in seawater. Part. 2. Distribution of heavy metals on a Chelex-100 column and optimization of the column efficiency by a plate simulation method 271
Powell, H.K.J., see Gregor, J.E. 141
Prognon, P., see Cepeda-Saez, A. 333

Renterghem, D., van, see van Renterghem, D. 231
Ríos, A., see Cañete, F. 287
Ríos, A., see Ruz, J. 281
Ruf, H., see Torres Llosa, J.M. 317
Ruz, J.
—, Ríos, A., Luque de Castro, M.D. and Valcárcel, M.
Determination of glucose in alcoholic beverages by flow injection with two internally coupled injection valves and an enzyme reactor 281

Sanji, M., see Nomizu, T. 293
Schorb, K., see Torres Llosa, J.M. 317
Schubert, A.J.
— and Enke, C.G.

Methanol chemical-ionization mass spectrometry for the determination of polar compounds in fuels 83
Scott, D.R.
Classification of binary mass spectra of toxic compounds with an inductive expert system and comparison with SIMCA class modeling 11

Torres Llosa, J.M.
— , Ruf, H., Schorb, K. and Ache, H.J.
Stripping voltammetric determination of traces of technetium with a glassy carbon electrode coated with tri-n-octylphosphine oxide 317

Ugo, P., see Daniele, S. 325

Valcárcel, M., see Cañete, F. 287
Valcárcel, M., see Ruz, J. 281
Vandecasteele, C.
—, Nagels, M., Vanhoe, H. and Dams, R.
Suppression of analyte signal in inductively-coupled plasma/mass spectrometry and the use of an internal standard 91
Van den Berg, C.M.G.
— and Jacinto, G.S.
The determination of platinum in sea water by adsorptive cathodic stripping voltammetry 129
Van der Linden, W.E., see Bos, M. 61
Van der Linden, W.E.
—, den Boef, G. and Ozinga, W.
The application of strongly oxidizing agents in flow injection analysis. Part 4. Manganese(VI) and copper(III) 99
Vanhoe, H., see Vandecasteele, C. 91
Van Renterghem, D., see Xilei, L. 231

Wada, H.
—, Ozawa, T., Nakagawa, G., Asano, Y. and Ito, S.
Preparation and examination of calcium ion-selective electrodes for flow analysis 213
Wallach, J.M., see Duffy, P. 205
Whung, P.-Y., see Pai, S.-C. 257
Wickstrøm, T.
—, Dale, J., Lund, W. and Buøen, S.
Complexation properties of monoaza crown ethers 223

Xilei, L.
—, van Renterghem, D., Cornelis, R. and Mees, L.
Radiochemical neutron activation analysis for thirteen trace metals in human blood serum by using inorganic ion-exchangers 231

Yuysters, F.A.M., see Goldschmidt, H.M.J. 43